

DH-IPC-HF3301

3Megapixel Full HD WDR Network Camera



Features

- 1/3" 3Megapixel progressive scan Aptina CMOS
- H.264 & MJPEG dual-stream encoding
- Max 20fps@3.0M(2048×1536)&25/30fps@1080P(1920×1080)
- WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- Built-in 1/1 alarm in/out
- PoE, Micro SD memory

DH-IPC-HF3301


Technical Specifications

Model		IPC-HF3301P		IPC-HF3301N	
Camera					
Image Sensor		1/3" 3Megapixel Aptina CMOS			
Effective Pixels		2052(H) x 1536(V)			
Scanning System		Progressive			
Electronic Shutter Speed		Auto/Manual,1/3~1/10000s		Auto/Manual,1/4~1/10000s	
Min. Illumination		Color: 0. 2Lux/F1.2, B/W: 0.01Lux/F1.2			
S/N Ratio		>50dB			
Video Output		1 channel, BNC(1.0Vp-p, 75Ω)			
Camera Features					
Day/Night		Auto(ICR) / Color / B/W			
Backlight Compensation		BLC / HLC / WDR (100dB)			
White Balance		Auto			
Gain Control		Auto/Manual			
Noise Reduction		3D			
Privacy Masking		Up to 4 areas			
Lens					
Lens Type		C/CS			
Video					
Compression		H.264 / MJPEG			
Resolution		3.0M(2048×1536) / 1080P(1920×1080) / 720P(1280×720) / D1(704×576) / CIF(352×288)		3.0M(2048×1536) / 1080P(1920×1080) / 720P(1280×720) / D1(704×480) / CIF(352×240)	
Frame Rate	Main Stream	3M(1~20fps)/1080P/720P(1 ~ 25/30fps)			
	Sub Stream	D1/CIF(1 ~ 25/30fps)			
Bit Rate		H.264: 32K ~ 8192Kbps, MJPEG: 32K ~ 24576Kbps			
Audio					
Compression		G.711a / G.711u(64kbps) / PCM(128kbps)			
Interface		1/1 channel In/Out			
Network					
Ethernet		RJ-45 (10/100Base-T)			
Protocol		IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour			
ONVIF		ONVIF Profile S			
Max. User Access		10 users			
Smart Phone		iPhone, iPad, Android, Windows Phone			
Auxiliary Interface					
Memory Slot		Micro SD, Max 32GB			
RS485		1			

DH-IPC-HF3301

Alarm	1/1 channel In/Out
General	
Power Supply	DC12V, PoE(802.3af)
Power Consumption	<6W
Working Environment	-10°C~+60°C, 10%~90%
Dimensions(W×D×H)	70mm×149.5mm×63.2mm
Weight	650g

Dimensions (mm)



Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuasecurity.com

*Design and specifications are subject to change without notice.

© 2013 Dahua Technology Co., Ltd.